
FLAMMABILITY TEST CERTIFICATE – 79027

COMPANY DETAILS: BANCROFT SOFT FURNISHINGS
6 RUSSELL COURT, WOOL GATE, COTTONGLEY BUSINESS PARK,
BINGLEY, BD16 1PE

CONTACT NAME(S): REBECCA PETERSON
TEL: 01274 518888
EMAIL: rebecca.peterson@bancroft-linings.com

DATE RECEIVED: 26/11/2019
DATE TESTED: 02/12/2019
DATE ISSUED: 02/12/2019
PO NUMBER: BSF 243

SAMPLE DESCRIPTION: 7092 LUND FR BLACKOUT
COLOUR: NOT STATED
QUALITY/BATCH REF: NOT STATED
COMPOSITION: 100% POLYESTER
MODEL REF: NOT STATED
SAMPLE END USE: DRAPERY
DESCRIPTION OF WEAVE: NOT STATED
MASS PER UNIT AREA: NOT STATED
FR TREATMENT: NOT STATED
MANUFACTURER: NOT STATED
SUPPLIER: NOT STATED

SPECIFICATION/REQUIRMENT:

IMO FTP Part 7: 2010 – Test for vertically supported textiles and films.

PRE-TREATMENT:

The sample supplied was tested without any cleansing or wetting procedure.

CONDITIONING:

The specimens had been conditioned for at least 24 hrs in a specified atmosphere at $20 \pm 5^{\circ}\text{C}$ and $65 \pm 5\% \text{ r h}$.

Authorised By:



Zeb Alam
Operations Director

Mark Jones
Quality Manager

Karen Brooks
Managing Director

FLAMMABILITY TEST CERTIFICATE – 79027

TEST RESULTS: FACE SIDE

Test Results (Warp)	1	2	3	4	5
Application Time (as determined by pre-testing):	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)
After Flame time:	0.0	0.0	0.0	0.0	0.0
Flame reached an edge:	NO	NO	NO	NO	NO
Charred Length: (mm)	53	50	62	58	53
Ignition of Cotton Wool (Y/N)	NO	NO	NO	NO	NO
Occurrence of surface flash (Y/N)	NO	NO	NO	NO	NO
Specimen Result:	PASS	PASS	PASS	PASS	PASS

Test Results (Weft)	1	2	3	4	5
Application Time (as determined by pre-testing):	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)
After Flame time:	0.0	0.0	0.0	0.0	0.0
Flame reached an edge:	NO	NO	NO	NO	NO
Charred Length: (mm)	72	51	68	60	54
Ignition of Cotton Wool (Y/N)	NO	NO	NO	NO	NO
Occurrence of surface flash (Y/N)	NO	NO	NO	NO	NO
Specimen Result:	PASS	PASS	PASS	PASS	PASS

TEST RESULTS: REVERSE SIDE

Test Results (Warp)	1	2	3	4	5
Application Time (as determined by pre-testing):	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)
After Flame time:	0.0	0.0	0.0	0.0	0.0
Flame reached an edge:	NO	NO	NO	NO	NO
Charred Length: (mm)	51	91	74	64	64
Ignition of Cotton Wool (Y/N)	NO	NO	NO	NO	NO
Occurrence of surface flash (Y/N)	NO	NO	NO	NO	NO
Specimen Result:	PASS	PASS	PASS	PASS	PASS

Test Results (Weft)	1	2	3	4	5
Application Time (as determined by pre-testing):	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)	15s (EDGE)
After Flame time:	0.0	0.0	0.0	0.0	0.0
Flame reached an edge:	NO	NO	NO	NO	NO
Charred Length: (mm)	68	69	74	86	73
Ignition of Cotton Wool (Y/N)	NO	NO	NO	NO	NO
Occurrence of surface flash (Y/N)	NO	NO	NO	NO	NO
Specimen Result:	PASS	PASS	PASS	PASS	PASS

*after flame time ≤5s for any specimen.

*no flame propagation to the edges for any specimen.

*no ignition of the cotton wool for any specimen.

*average char length ≤ 150mm.

*no occurrence of surface flash more than 100mm from the point of ignition

CONCLUSION:

The sample supplied **meets** the performance criteria as stated in paragraph 3 of IMO FTP Part 7: 2010 when tested in its as received state.

END OF REPORT

Please note: the test results issued on this certificate refer only to the item tested and therefore doesn't relate to the lot or batch of the product / sample. This test certificate shall not be duplicated. Textile Innovation House, 1 Lyons Road, Trafford Park, Manchester, M17 1RN T: 0161 50 50 650 E: technical@ifs-labs.com